

Sharing

12 shared into 3 equal groups


 $12 \div 3 = 4$

How many groups Grouping of 3 are there in 12?


There are 12 cats. Each person owns 3 cats. How many people are there?


There are 12 cats.


Three people each have the same number of cats. How many do they have each?



1 for you, 1 for you, 1 for you...









How shall I divide?








Grab a group of 3 grab a group of 3






























8+7,9+9,14+3 I just knew it! Number facts Single digit numbers Doubles Teens and single digits


13 + 17Use known facts 30 + 70If I know 3 + 7 = 10then I know If I know 3 + 7 = 1013 + 17 is 2 tens more then I know 3 tens + 7 tens = 10 tens

5 + 18Greatest number first then bridge




How shall I add?








CanDoMaths




35 + 27Count on in tens then ones











Add 20 then subtract 1







9-4, 13-5, 18-9 Number facts Single digit numbers Halves Teens and single digits I just knew it!

23 - 5Count back: bridge through a multiple of ten




46 - 20 Count back: multiples of ten








How shall I subtract?




CanDoMaths








Take away 20 then add 1





2

Equal groups

There are 3 groups with 4 cats in each group








3 people each have 4 cats. How many cats are there in total?


Recall of 2x, 5x and 10x tables


One to many correspondence

If each person has 4 cats, there are 4 times as many cats as people












Four cats, multiplied by 3





People Cats 3









How shall I multiply?











4	4	4
+4	+4	+ 4
	4	10



Count in ones

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12


Count in twos

2, 4, 6, 8, 10,12

Use a known fact


If 2 x 3 is 6, then 4 x 3 is double 6.





$$4 \times 3 = 12$$

$$3 \times 4 = 4 \times 3$$



© Liz Hopkins

Licensed to and for the exclusive use for Carly Tonks

Sharing

12 shared into 3 equal groups

 $12 \div 3 = 4$

Grouping

How many groups of 3 are there in 12?

There are 12 cats.

Three people each have the same number of cats.

How many do they have each?





Recall and use 2x, 5x and 10x tables

There are 12 cats. Each person owns 3 cats. How many people are there?


1 for you, 1 for you, 1 for you...


Grab a group of 3 grab a group of 3.





















Bar model













If I know $3 \times 4 = 12$ then I know $12 \div 3 = 4$





	12	
4	4	4

Link to fractions. One third of 12 is 4












If I know 10 - 7 = 3 then I know 10 hundreds - 7 hundreds = 3 hundreds



0 - 7 =


If I know 10 - 7 = 3
then I know
any multiple of 10,
take away 7 leaves
3 in the ones.






0


230 - 30 - 50 = 150




I just knew it!


How shall I subtract?










CanDoMaths







335 is 9 more than 326 326 is 9 less than 335 so the difference between them is 9










If I know 5 - 3 = 2then I know







Take away 200 then add 1









240 is ten times greater than 24

$$24 \div 4 = 6$$


 $240 \div 40 = 6$
 $240 \div 4 = 60$


24 biscuits shared between 4 people means they will get 6 biscuits each.

If there are 10 times as many people and 10 times as many biscuits, how many biscuits each now?



 $240 \div 40 = 6$ How many steps of 40 make 240?





42 ÷ 6

Double and halve

CanDoMaths


How shall I divide?

A tenth of ☐ is ☐

A tenth of 1 is 1 tenth

so $1 \div 10 = \frac{1}{10}$

45 ÷ 3 Sharing equally




ten lots and the rest 50 · 1


52 ÷ 4

Partition and recombine

/	52 - 4		
40	12		
÷ 4	÷ 4		
10	+ 3	=	1




Link to fractions




If there are half as many

biscuits and half as many people...

 $42 \div 6 = 21 \div 3$





4

13 - 5, 1.8 - 0.8

Number facts

Single digit numbers

Halves


Wholes and tenths

I just knew it! 15 - 8 = 7Use known facts

If I know 15 - 8 = 7 then I know 1.5 - 0.8 = 0.7

$$150 - 80 = 70$$

 $1500 - 800 = 700$




6,342 - 3,020 Use place value to subtract

By using place value counters it is easy to see how to take away

1000s 100s 10s 1s

1.5 - 0.7
Bridge through boundaries
by counting in efficient steps



How shall I subtract?

5,352 - 2,136 Formal written method

Exchange ten of these for one of those!


5,352 2,436

Regroup and rename

2,430

1000s	100s	10 s	1 s	


4007-3998
Find the difference between two numbers



4,007 3,998 9 4.56 - 1.99 Round then adjust

1 s	$\frac{1}{10}$ S	100 s

Take away 2 then add one hundredth





Known facts: Rapid recall of all multiplication tables up to 12 x 12

6 x 4 Use known facts and place value

40 is ten times greater than 4

$$6 \times 4 = 24$$

$$60 \times 4 = 240$$

 $60 \times 40 = 2400$






0.6 is ten times smaller than 6


6 x 4 Use known facts and place value

$$0.6 \times 4 = 2.4$$


4 jumps of 0.6




2.34 x 100 Multiply by 10, 100



2.34




4




1000s	100s	10s	1 s	10 s	100 s

How shall I multiply?




7 x 36 Use the distributive law




CanDoMaths

45 x 6 Use factors and commutativity



36 x 7 Formal written method



36 252

1

 $2 \times (5 \times 6) = (2 \times 5) \times 6$ $2 \times 30 = 10 \times 6$ 45 x 6 $=5\times9\times6$ $=5\times6\times9$ $= 30 \times 9$ = 270

Write as factors then re-order

200 6 30 **x**7 **x**7 1400 210 42 = 1652


236 x 7

Licensed to and for the exclusive use for Carly Tonks



Known facts: Use recall of all multiplication tables up to 12 x 12 to derive division facts

> 24 ÷ 100 Divide by 10, 100



496 ÷ 8

Partition and recombine

60 x 8

480

2 x 8

496

24 ÷ 4 Use known facts and place value

$$24 \div 4 = 6$$

 $240 \div 40 = 6$
 $2400 \div 400 = 6$

$$2400 \div 400 = \underbrace{24 \times 100}_{4 \times 100}$$
$$\underbrace{24}_{4} = 6$$

÷100

240 is ten times greater than 24

> 24 biscuits shared between 4 people means they will get 6 biscuits each.


If there are 100 times as many people and 100 times as many biscuits, how many biscuits each now?

60 is ten times areater than 6

100s

2400 ÷ 60 Use known facts and place value

 $2400 \div 60 = 40$ How many steps of 60 make 2400?



732 ÷ 6

Formal written method

1s


 \bigcirc

100s

10s

10s

How shall I divide?




				5	516				
	17	72		17	'2	172			
43	43	43	43						






$$516 \div 3 \div 4$$



CanDoMaths



9 - 4, 13 - 5, 18 - 9 (Number facts Single digit decimals Halves

I just knew it!

15 - 8 = 7Use known facts

If I know 15 - 8 = 7

15,000 - 8,000 = 7,000

150,000 - 80,000 = 70,000

1,500,000 - 800,000 = 700,000

then I know

1.5 - 0.8 = 0.7

40,012 - 3,005 Use place value to subtract

5 less than 12 is 7 Now it is easy to take away 3000

If I know 40 - 3

If I know 40 - 3 = 37
then I know that
40 thousand take away
3 thousand is 37 thousand


40,000 = 4 tens of thousands or 40 thousands 12 = 1 ten and 2 ones or 12 ones

40,012 = 40 thousands and 12 ones take away 3 thousands and 5 ones equals 37 thousands and 7 ones.

Halves Subtract from 1 and 100 _F


Rapid fluency of 2 digit subtract 2 digit numbers

0.54 - 0.17
Bridge through boundaries
by counting in efficient steps



How shall I subtract?

20,045 - 19,989 Find the difference between two numbers



20,045	
19,989	56

45,748 - 26,374 Formal written method

Exchange ten of these for one of those!

CanDoMaths

315,748 26,374

19,374


Regroup and rename


10,000s 1000s 100s 10s 1s

43,453 - 19,998 Round then *adjust*

10,000s	1000s	100s	10 s	1 s

Take away 20,000 then add 2





6 x 4 Use known facts and place value

40 is ten times greater than 4








0.6 is ten times

smaller than 6

0.6



1

6 x 4

Use known facts

and place value

2.34 x 1000 Multiply by 10, 100, 1000 6 x 10 x 4 x 10

x10

x10

/ x10


x100

 $6 \times 4 = 24$

 $60 \times 4 = 240$

 $60 \times 40 = 2400$

 $=24 \times 100$




 $0.6 \times 0.4 = 24$ hundredths $0.6 \times 0.4 = 0.24$ 0.6

 $0.6 \times 4 = 2.4$

4 jumps of 0.6


+ 0.6



How shall I multiply?


15 x 42 Using factors and distributive law

15 x 48 = 15 x 6 x 8 6 = 90 x 8 = 720



423 x 4 Partition and recombine

CanDoMaths



15 x 14 = 15 x 6 + 15 x 8 = 90 + 120 = 210

14 6 8 15

 400
 20
 7

 30
 12,000
 600
 210

 8
 3,200
 160
 56

427 x 38

Formal written method

427

Licensed to and for the exclusive use for Carly Tonks

© Liz Hopkins

5

Include calcuations where remainders occur

24 ÷ 4

and place value

÷1000

24,000 is a thousand times Use known facts greater than 24

24 biscuits shared between


4 people means they will get

0.6 is ten times smaller than 6

 $2.4 \div 0.6$ Use known facts and place value

$$2.4 \div 0.6 = 4$$

How many steps of 0.6 make 2.4?



5724 ÷ 4

Formal written method

derive division facts

Known facts:

Use recall of all

up to 12 x 12 to

multiplication tables

 $24 \div 4 = 6$

 $2400 \div 400 = 6$ $24,000 \div 4000 = 6$

240 = 60


If there are 1000 times as many people and 1000 times as many biscuits, how many biscuits each now? $24,000 \div 400 = 24 \times 1000$ 4 x 100


6 biscuits each.


			. 4	. 4	. 4	
100s	10 s	1 s	$\frac{1}{10}$ s	100 s	1000 S	
						_
						•
			•			C
				00		0

24 ÷10 2.4 0.24 0.024

How shall I divide?








	1512																					
252 252					252			252			252			252								
63	63	63	63																			

496 ÷ 8 Partition and recombine







44 + 56, 27 + 27 Number facts Single digit decimals Doubles Bonds of 1 and 100

I just knew it!

Rapid fluency of

2 digit add 2 digit numbers)


17 + 17 Use known facts

If I know 17 + 17 = 34 then I know

17,000 + 17,000 = 34,000

170,000 + 170,000 = 340,000

1,700,000 + 1,700,000 = 3,400,000




1,102,403 + 50,020 Use place value to add

I have noticed, one number has no hundreds or ones, the other has no tens

1,000,000s	100,000s	10,000s	1000s	100s	10s	1 s
				00	••	

0.028 + 0.015 Bridge through boundaries by counting in efficient steps





325,748 + 246,374 Formal written method

Regroup and rename

Exchange ten of these for one of those!

325,748 + 246,374 572,122

100,000s	10,000s	1000s	100s	10s	1s	

How shall I add?

307,040 + 206,070 Partition and recombine

300,000 + 7,000 + 40 + 200,000 + 6,000 + 70


500,000 + 13,000 + 110 = 513,110

100,000s	10,000s	1000s	100s	10s	1 s	
00						
1	I .				l	l

432,356 + 99,000 Round then *adjust*

100,000s	10,000s	1000s	100s	10 s	1 s
	00	00			000

Add 100,000 then take away 1,000



Licensed to and for the exclusive use for Carly Tonks

© Liz Hopkins

0.9 - 0.4, 100 - 65 Number facts Single digit decimals Halves

I just knew it!

36 - 18 = 18Use known facts

400,032 - 30,005 Use place value to subtract

Bonds of 1 and 100

3.6 - 1.8 = 1.836,000 - 18,000 = 18,000

400,000 = 4 hundreds of thousands

or 400 thousands

400 - 30 = 370 so 400,000 - 3,000 = 370,000

0.054 - 0.017 Bridge through boundaries

by counting in efficient steps

Exchange ten of

these for one of

those!

CanDoMaths

360,000 - 180,000 = 180,000 3,600,000 - 1,800,000 = 1,800,000

> 400,032 = 400 thousands and 32 ones take away 30 thousands and 5 ones

> > = 370,027

How shall I subtract?

If I know 36 - 18 = 18

then I know

0.040 0.044 0.054 0.037

- 0.03

445,748 - 126,374 Formal written method

Rapid fluency of

2 digit subtract

2 digit numbers

- 0.004

445,748 + 126,374

Regroup and rename

- 0.01

319,374


199,989

200,450

100,000s 10,000s 1000s 100s 10s **1**s

200,450 461 199,989


200,450 - 199,989 Find the difference between two numbers



243,453 - 99,900 Round then adjust

100,000s	10,000s	1000s	100s	10s	1 s
Ø	00			000	

Take away 100,000 then add 100



5 less than 32 is 27



up to 12 x 12

CanDoMaths

6 x 4 Use known facts and place value

x10

x10

/ x10

40 is ten times greater than 4


$$60 \times 40 = 2400$$

 $600 \times 400 = 240,000$

$$6000 \times 4000 = 24,000,000$$


6x10x4x10

2.34 x 1000 Multiply by 10, 100, 1000



x100

How shall I multiply?



0.6 is ten times

smaller than 6

0.06

+0.06

 $0.06 \times 4 = 0.24$

4 jumps of 0.06

0.12

+0.06

 $0.6 \times 0.4 = 24$ hundredths

 $0.6 \times 0.4 = 0.24$ 0.6

6 x 4

Use known facts

and place value


0.18


+0.06


0.24

1

+ 0.06












15 x 42


Using factors and







2427 x 38 Formal written method



Licensed to and for the exclusive use for Carly Tonks

15 x 14)

= 90 + 120

= 210

6 Known facts: Use recall of all multiplication tables up to 12 x 12 to

derive division facts

24 ÷ 1000

Divide by 10, 100, 1000

Include calcuations where remainders occur

24 ÷ 4

Use known facts and place value

240 is ten times greater than 24

$$240 \div 40 = 6$$

$$2400 \div 400 = 6$$

$$240,000 \div 40,000 = 6$$

 $2,400,000 \div 400,000 = 6$

÷10

24 biscuits shared between 4 people means they will get 6 biscuits each.

If there are 10 times as many people and 10 times as many biscuits, how many biscuits

each now?

24

$$240,000 \div 400 = \underbrace{24 \times 10,000}_{4 \times 100}$$

$$\frac{2400}{4} = 600$$


÷1000

0.6 is ten times smaller than 6

 $2.4 \div 0.6$ Use known facts and place value

$$2.4 \div 0.6 = 4$$

How many steps of 0.6 make 2.4?





1 1000 S 1 100 S 1 10 S 100s **10**s 1s 2.4 0.24 0.024

How shall I divide?

1512 ÷ 24

Using factors






4960 ÷ 8 Partition and recombine

= 620

20



600 x 8 20 x 8 4960

 $1512 \div 6 \div 4$

1512																							
252			252			252			252			252			252								
63	63	63	63																				

342 7182 88